

NNNN ZCZCVLA184

RR

DE 016 1620603

R 100602Z

FM ARMY CANBERRA

TO AUM 352

INFO

DSD

WEAPONS SALISBURY (IS GP)

ZEM

~~SECRET COMINT CHANNELS~~ M18/1301

FROM M18. YOUR SIGS 347 OF 070930.

ONE ~~JMK~~ FULLY AGREE SUSPENSION OF TEST TO BUILD BLAST WALL.

TWO. IN ADDITION TO BLAST WALL TO PROTECT PRIMARILY AGAINST

MORTARS AND 107 MM AND 122 MM ARTILLERY ROCKETS SUGGEST YOU CON-

SIDER ALSO CONSTRUCTION OF STAND OFF WIRE MESH FENCE AROUND BLAST

WALL TO PREDETONATE ANY RPG7 ROCKET ASSISTED ATK GRENADES THAT

MIGHT BE DIRECTLY FIRED AT INSTALLATION. WE NOTE USE OF THIS

WEAPON AGAINST AUST TANKS. THIS IS SUGGESTION ONLY AND MAY NOT

BE PRACTICABLE FROM VIEWPOINT OF EFFECT ON SSL

THREE. WE HAVE CHECKED WITH WRE AND SUFFICIENT DATA IS NOW HELD.

PHASE 2 OF TRIAL CAN NOW BE CONSIDERED COMPLETE. WILL NOW

AWAIT WRE ASSESSMENT PRIOR TO DECIDING OPERATIONAL RETENTION OF

AD	FILE	POLIO
31	9	118 39

Declassified by ASD - 30/3/2021
Information removed for national security
and/or personal sensitivities

AD *[Signature]* DP WEAPONS
2X 2X

F38



EQPT.

FOUR. OWING TO FACT THAT SOME TIME WILL ELAPSE BEFORE FINAL

DECISION IS MADE ON OPERATIONAL RETENTION AND RESULTANT

ESTABLISHMENT CHANGES CMM THE TWO OPERATORS ON LOAN FROM [REDACTED]

[REDACTED] SHOULD BE RTU FORTHWITH. WE ARE EXAMINING METHOD BY WHICH

YOU CAN RETAIN CPL PETERS SO THAT EQPT CAN BE LOOKED AFTER

230 230