TELEPHONE

TOP SECRET DINAR

AUSTRALIAN MILITARY FORCES

26 3 21

Quote in Reply +

661/1

ADDRESS.

201 Sig Sqn (Overseas) HQ Aust Army Force PARKIF

e/e GPO SDIGAPORE

Declassified by ASD - 09/11/2021 Information removed for national security and/or personal sensitivities

101 Wrls Rogt AHQ CANDERRA (through 101 Wrls Rogt) QCQ SINGAPORE

HQ PARELF (Int)

Gauy tas-

->DD

REPORT ON VISIT KUCHING ON 27 MAY 64

93

DEFENCE SPENNIS

1. The OC 201 Sig Sqn in the company of OCO and GI Int visited KUCHING on 27 May 64 for the purpose of examining the best way to achieve the required build up of SIGINT resources.

2. After examining a number of possible solutions the following was accepted as the best:-

- (a) Build up on a temporary basis in the existing site at SEMENGO Camp using additional rooms of the basha but for administrative and sleeping accommodation. Additional operational build up to be achieved by use of one 1-ton rour double intercept position vehicle, one cipher trailer for a workshop and one 1-ton vehicle for traffic analysis. (See Annex A) Communications to be seff lines from the cipher room of the Bde Siggen in KUCHING town; and
- (b) In four to five months move to new operational and living accommodation in a new AA Bty HQ camp being constructed about 800 yards off the KUCHING and of the sirfield. These buildings to be what is known as "Australian buts" (ie) weatherboard sides with galvanised iron reof.

Temporary Bulld-up

3. Yehicles

Will need to move 2 x 1-ton vehicles plus cipher trailer to KUCHING. This will leave one x 1-ton four double position intercept vehicle and one cipher trailer plus one dual 3; KVA generator for local emergency action in or from SINGAPORE. The intercept vehicle and trailer will be airconditioned but the TA vehicle will not be; will require two fans for it. One of the vehicles of will also be required.

4. Accommodation

Will require seven rooms in the existing bashs but which will be available. Arranged by DAA and QMG at Bde HQ.

TUP SEUNET WINAR /2.....

Declassified by ASD - 09/11/2021 Information removed for national security and/or personal sensitivities

21

Personnel.

Annex A is a sketch of the temporary area which will require, to san it and the communications, up to one officer and 26 as follows:

(a) 2 Cipher Operators (Cpls);
(b) 1 Elec Tech (Sgt);
(c) 1 Radio Tech (Cpl);
(d) 2 ABSI for TA (Leple);
(e) 2 RS (Sgts);
(f) 10 Ops Special (Cpls er Sigs);
(g) 2 Voice Ops (if required) (Sgts or Cpls);
(h) 1 OC (Capt);
(j) 1 Clark er Tp Sgt (Sgt er Lepl);
(s) 1 Der (Sig); and
(e) 1 Coak (not en establishment so should be provided by FARKIF).


7. Horks

(a) Through DORR resources

- (1) Install three 260V IB amp B aquers pin power outlets in existing operations from or on veranish sutside specifics room for power for vehicles; and
- (ii) Provide eleven concrete blocks such 3-feet long by 18-inches wide by 6-inches deep for the vahicle to stand upon. These blocks will be positioned by the detachment erter the vehicle arrive.

(h) By 201 Sir San in confunction with USC 200

- (1) Install one double ARSS position to make a total of four in the existing operations room;
- (ii) Install additional Pleasey FV140 multicoupler in existing operations room; and
- (iii) Fit eigher trailer as a workshop. Some additional test squipment will be required.



Declassified by ASD - 09/11/2021 Information removed for national security and/or personal sensitivities

w 2 w

8. Lexer

Standby emergency power can be provided by moving the SEVA conscator on charge to 652 Sig Tp to KUDHING.

9. Stores and equipment required

Full details are shown in Annex C but briefly they are:

- (a) Howe two one ton wehicles and one cipher trailer on charge to "Afroop of 201 Sig Squ" to KUCHISG. These vehicles and all fittings less 8 x ARSEs were provided by UK Army on a no charge basis against Ubit Account No. EK/FR/2116/2/02(%). It is preposed to sub-account items from this account to 662 Sig Ip as soon as feasible if preposal is accepted;
- (b) Hove one i or i FFR landrover and one 6KVA trailer mounted generator beloading to 652 Sig To to KUCHING as soon as possible after errival 652 Sig To in SINGAPORE;
- (c) lostall fourth rack, provided from local resources, and fit 2 x ARSE from UNC BOD stocks ex OSHQ.

 Also install was PVIAC multi-soupler required from GCHQ;
- (d) lustall two desk type or sall fitting fans in The vehicle. Feas will have to be supplied preferably locally;
- (e) Install workshop trailer with beach and test equipment. Test equipment will be required from UK Army or GCMQ resources. Unit account No. EI/FE/2115/2/62(W) has these items included but most have not been supplied;
- (f) Provide acen stores such as safer, cabinets, tables and chairs. At least one and preferably two typesriters will be required; and
- (g) Provide communications equipment and storage facilities. Use of two by Renker 3 on charge to West Ede or Two Renker 2 on charge to 201 Sig Sqn plus taps splitters and telegraph equipment.

10. Annex B is in two parts. This is shown because smargeney buildup at both KUCHING and IABUAN is necessary from essentially UK resources. The equipment used at IABUAN should then be transferred to K.ChiNG for the final installation when equipment from AUSTRALIA is available and installed at IABUAN encepts.

- (a) Annex B pers 7(e) to (j) both inclusive;
- (b) Annex B para B;
- (c) Possibly Annex B para 9 (g); and
- (d) Annex B para 10 (d) to (m) both inclusive. Items (1) and (m) would possibly be spare as they are only required for ARSS receivers.

Final Buildelb

- 11. This to be in the new AA Bty HQ camp and will requiret-
 - (a) Living accommedation fers-
 - (i) One officer permanently and one additional officer on eccasions of normally two weeks;
 - (ii) Six senior MCOs permanently with facilities to increase to eight; and
 - (111) Twenty four CE personently and up to twenty eight during changeover for R/R programme.
 - (b) An aerial farm. Details of size, location, types and numbers of aerials will have to be determined when camp site plan and tasking is known;
 - (a) Operational building in accordance with Annex C attached;
 - (d) Administrative facilities including:-
 - (1) Office for 60 of
 - (11) Troop Orderly Rosms
 - (111) Treep Store;
 - (iv) Parking area for two vehicles and trailers; and
 - (v) Area, adjacent to eperational building, for generator for auxiliary power.
 - (e) Security fence around eperational building.

18. Stores and Equipment

The only additional stores and equipment required providing all stores per Annex C are available and transferred per para 10 above are:

(a) Gommunications Equipment

- (1) Two SIEMENS TIOO or equivalent unless items supplied for LABUAN can be transferred;
- (ii) 3 x BID 30 equipments when 2 x 610 sircuits available;
- (iii) 2 x Reckex Mx2 ex 201 Sig Sqn as standby fer SIC equipments unless the Reckex Mx3 on charge to West Bde can be transferred; and
- (iv) Test equipment for repair of cipher and telegraph equipment.

(b) Tachnical equipment

Wil unless local processing is necessary when perhaps an extra recorder from stocks will be required.

DINAM

Declassified by ASD - 09/11/2021 Information removed for national security and/or personal sensitivities

(c) Ascials

All aerial masts, aerials, feeders (co-axial cable) and perhaps amplifiers;

- (d) Assormadation Sterag
 - (i) Two combination safes; and (ii) Extra chairs, tables etc.
- (a) Heanens

The entitlement of wempons for be required.

will

12. Personnal

In addition to para 6 the only additional personnel will be extra operators as required by the tasking of the station and emergency processing staff. The number could be up to five.

OC \$01 Sig Sqn (Oversons)



65111 = 4 June 6" PLINE OF OPERATIONS (MOT TO SCALE) SEMENGO CHIP STORE Fine or Living. WINTER TONS ATMIN Florens -LIVITI A CM NICH ALU: F STREETHOAT TA WKSP OPERATION. YEH TLR 115.04 7.CH AERIALS BOUNDARY

> Declassified by ASD - 09/11/2021 Information removed for national security and/or personal sensitivities

Ammerure B to BO1 Sig Squi (overseas) 651/1 dated

Jun 64.

Declassified by ASD - 09/11/2021 Information removed for national security and/or personal sensitivities

KURHING

Held on charge on Unit Account No. EI/FE/2115/2/62(W) that are required and can be spareds-

1-1	Danit WAA -3 A borner	
(D 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Tool Kit elect basic	d.
(0)	Tool Kit telecom basic	1
(e)	Tool Kit telecom supplementary	1
(d)	Tool Eit unit B vehicles	1
(0)	Boxes mobile effice	1
(2)	Boxes stationery telegraph equipment	dh
100	unit B	9
1.		ah.
121	Chairs folding flat	
(In)	Compass prismatic liquid Ma3	1
(3)	Receivers headgear double No.5	15
BERLFR BERLFR	Amplifier type Al977 Pleasey	2
(1)	Instruments testing Ave 50 range	1
7-5	Outfits first aid	3
7=1		- 6
Y"(Typeeriter pertable	- 4
101	Machines stapling	a.
1000	Trucks 1-ton GS Wrls	8
(q)	Trailer two wheeled signals	1
(20)	Trailer p-ton earre	3

Shown on unit account so. E /FE/2115/2/62(W) but not supplied. Items 2(d) to 2(n) have been marked "not available":-

(a) (b)	Pistols revolver No.2 Mk 1/2 2) Guns, submachine Sem LSA1, LSA2 er Inden't	
(e)	Rifles, 7.62mm XSE1, XSE5 er LlA1 18) Teleprinter Siemens type T100/R with	L
(e) (2)	Assessories 2 Mast, 35/46 steel lightweight Ne.1 3 Mast, 35/48 steel lightweight greating	
(A)	Zesters valve, CT, 160 equipment Signal generator No. 1 Mx 3 equipment Voltmeter, valve, No 3, CT 208 equipment 1 Wattmeter, absorption, AF, No 1, CT44	
(1) (2) (3)	equipment 1 0scillecope, CT 486 1 Frequency meter SCR211 1 Typewriters portable 1	

The civilian alternative to items 2(g) to (1) as used at CK2 ares-

For 2(g) Appe valve characteristic meter; For 2(h) Standard Sig Generator TF144M (Marconi Instr Ltd); For 2(j) Vacuum tube voltmeter TF1300 (Marconi Instr Ltd); (e)

(d) Fer 2(k) Output power meter TF898A or TF840

(Marconi Instr Ltd); and For 2(1) Oscillegraph model 1035 Mr II (Cosser (e) Instr Ltd) er Ossillescope Type 13 (Erskine Labs Ltd).

Declassified by ASD - 09/11/2021 Information removed for national security and/or personal sensitivities

On charge to and requested be moved to SINGAPORE for employment in BORNED:-Truck t or t ton FFR; (b) Generator GEVA Trailer mounted; S x tape recerders; and 4 x 36-25 acrial masts. In use, requested or required desirably through UNC 2008-(a) ARES Receivers = 2 in lecation incl 2 spares. S in vehicle. 2 for extra rack. (b) Plessey PVLAG multi-couplers = 1 in location. l required and requested from GCHQ. Racks S in Lecation. I being made in SINGAPORE. Special panels A, AB, B frequency = 3 in location. (a) 1 to be built at USC 200. Ganging ogsillator model 348 (AC Cosser Itd) = 1 not requested as yet. Two microphones and two trolleys for tape recorders if not brought from HONG KONG 6. Required from UE Army resources :-Section EE/EE 18975, Cabinet Card Index steel 50 x 30 four drawer with Book. Section NE/7110-89-948-5627, Cabinets Vertical filing steel four drawer with look. Section XE/KE 18694, Cupbeard steel 6' 30 with (e) combination leck. Section KE/KE 18625, Cupbeard steel 6' 2" with (4) detector lock. (e) Cleck 94 hour. eo B (f) Fans, deak or wall type, for TA vehicle. LABUAR Held on charge on Unit Account No. EE /FE/2115/2/62(W) that are required and can be spareds-(a) Bores stationery telegraph equipment unit B 5581 (b) Chairs folding flat (c) Compass prismatic liquid Trucks ; ton FFR Trailer ; ton cargo Generator sets AC St KVA 280V (trailer mounted) m 2 Pistols revolver No.2 Mk 1/2 2 7 Guns submachine, Sum Rifles 7.68mm on 200

Declassified by ASD - 09/11/2021 Information removed for national security and/or personal sensitivities

8,	Held en unit Asseurt No. Q186	that can be spareds-
	(a) Kits telecom mechnic (b) Multimeter electronic AWA (c) Signal Generator Aust No.	type A56010 Voltobayst- 1
9,	In use, requested or required	desirably through USB
	(a) Receivers bendgear	~ 15
	(b) Plessey PV14C multi-coupl	lers - 1 in location. 1 beleived spare at UEC 200. 1 requested from GCHQ.
	(e) Racks	- 4 in location. 2 being made in SINGAPORE.
	(d) Special panels; A, AB, B; meter and aerial so	ritching - 4 in location. 2 to be built at UNC 200.
	(e) ARSS Receivers	- 9 in location. 5 for extra rack.
	(f) Frequency meter SCRELL	- 1 in location.
	(g) Tape recorders (No micros er trolleys available her	henes e) - 1 in location. 1 from UEC 200 resources.
10. AUSTRALI	Necessary and required to be :	supplied from either
	(a) Machine typewriting fools (b) Outfits first aid (c) Teel Eit unit E vehicles (d) Section KE/KE 18975 Cabin 5° x 3° four drawer with (e) Section KE/7110e99-948-56 filing steel four drawer (f) Section EE/KE, Cupbeard a embination leak	lock 2 i37, C-binets vertical with lock steel 6' x 8' with
	(g) Section KE/KE, Cupbeard s detector lock (h) Wattmeter Absorption AF (j) Hoise generator TF 1106 (k) AWA BC escillater (1) Ganging escillater model (m) Secillograph model 1085 1 (n) Clock 26 hour signer	- 1) Desirably - 1) from - 1) AUSTRALIA. 343 - 1 - 1 - 2
	(a) Tape splitters for Rocker	r Mc2 - 2 (Required

Declassified by ASD - 09/11/2021 Information removed for national security and/or personal sensitivities

MOBILE TECHNICAL STORES FOR BOTH SITES

ll. From	Unit Account	No.	ET/FE/2115/2/62(V).	These	stores
----------	--------------	-----	---------------------	-------	--------

400 to 1400 W	The state of the s	
	(a) Watches wrist waterproof (b) Lamps electric No. 1 (c) Telephone sets L Mk 1 (d) Cable electric BlO twisted g mile coils (e) Reels sable No. 5 Mk 1 (f) Lamps eperator No. 3 (g) Instruments testing Aveningr (h) Matteries LSW LSAH lead acid	- 4 - 4 - 1 - 12
12.	From Account No. 9185. Available in SINGAPORES-	
13.	(a) Recorder reproducer set sound AN/PRH4 (b) Radio Sets Cll/R210 with installation kits (e) Reception set R210 (d) Set Kit R218 Reception set Ne 1 (e) Generating sets 300% 26% Bty (f) Radio set C42 with installation kit (g) Supply unit wibratory No. 12 26% input Mr2 On charge to 201 Sig Sqn.	2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	7/890/807	- 4

TOP SECHEL DINAM

PROPOSED OPER TION, L AND ADMIN BUILDING - KUCHING

STAID AD HUT TROPIC L NK2 (/UST) - 110' X 18'

	Admin	i	7	1-1	- 5 -	~ , ·	5 x Op Posns i
9		Cipher	ksp	Processing	Cipher	TA	Rs Operating Room
· Store	OC Coffice	Store					
							5 x Op Posns

Notes:

- All rooms except Admin, OC office and Q store to have sealed and painted windows and to be fully lined.
- 2. Admin office, OC office and Q store to have XPM (arc mesh) over windows and ceiling fans.
- 3. All rooms except Q store, Admin, OC office to be air conditioned.
- h. The Cipner room, Processing room and Cipher store to have XPM on all surfaces preferably
- 5. Steel lined doors with special locks to be fitted to Cipher, Processing, Cipher store and external entrance to Operating room

TOP SECRET DINAR

Declassified by ASD - 09/11/2021 Information removed for national security and/or personal sensitivities